THE BELL SYSTEM TECHNICAL JOURNAL

VOLUME 59
1980

ADVISORY BOARD

D. E. PROCKNOW, *President,*
Western Electric Company, Incorporated

I. M. ROSS, *President,*
Bell Telephone Laboratories, Incorporated

W. M. ELLINGHAUS, *President*
American Telephone and Telegraph Company

EDITORIAL COMMITTEE

D. GILLETTE, *Chairman*

A. G. CHYNOWETH
R. P. CLAGETT
T. H. CROWLEY
I. DORROS
R. A. KELLEY
A. A. PENZIAS
W. B. SMITH
G. SPIRO
J. W. TIMKO
I. WELBER
M. P. WILSON

EDITORIAL STAFF

G. E. SCHINDLER, JR., *Editor*
J. B. FRY, *Associate Editor*
H. M. PURVIANCE, *Art Editor*
B. G. GRUBER, *Circulation*

Index and Contents

AMERICAN TELEPHONE AND TELEGRAPH COMPANY
NEW YORK

LIST OF ISSUES IN VOLUME 59

No. 1, January	Pages	1–148
No. 2, February		149–276
No. 3, March		277–478
No. 4, April		479–668
No. 5, May–June		669–804
No. 6, July–August		805–1088
No. 7, September		1089–1296
No. 8, October		1297–1548
No. 9, November		1549–1838
No. 10, December		1839–2010

Index iii
Contents xix

NOTE: Words in parentheses precede words not in parentheses in the same entry. For example:

Block Designs (Switching Networks and)

should be read Switching Networks and Block Designs

Copyright © 1981 American Telephone and Telegraph Company, Printed in U.S.A.

Index to Volume 59

A

Acampora, A. S. 1089–122

ACOUSTIC SIGNALS (DIRECT DIGITAL-TO-ANALOG CONVERSION OF) 1693–719

ACOUSTIC WORD RECOGNIZER IN CONVERSATIONAL-MODE AIRLINE INFORMATION AND RESERVATION SYSTEM 119–37

Adaptive Aperture Coding for Speech Waveforms—II 471–7

Address Assignment for a Time-Frequency-Coded, Spread-Spectrum System 1241–55

ADJACENT SATELLITE INTERFERENCE (SADDLE-POINT APPROXIMATION FOR M-ARY PHASE-SHIFT KEYING WITH) 1139–52

ADMINISTRATION OF A TRUNK NETWORK (BLOCKING DISTRIBUTIONS FOR) 829–44

AFC *See* AUTOMATIC FREQUENCY CONTROLLER

Ahamed, S. V. 269–76

AIRLINE INFORMATION AND RESERVATION SYSTEM (CONVERSATIONAL-MODE, USING SPEECH INPUT AND OUTPUT) 119–37

Albanese, A. 1365–82

Aldefeld, B. 1343–56

(Al,Ga) As Double-Heterostructure Lasers: Comparison of Devices Fabricated with Deep and Shallow Proton Bombardment 975–85

ALGORITHMS (NEWTON-DIRECTION) AND DIFFEOMORPHISMS 1721–33

ALLOCATION
(Loop Feeder; Application of Mathematical Programming to) 479–500
(Loop Plant; Critical Section Methods for) 99–117

AMPLITUDE AND FREQUENCY MODULATION (SIMULTANEOUS; SPECTRAL SHAPING BY) 557–70

Analysis of Decision-Directed Equalizer Convergence 1857–76

ANALYSIS OF LOOP NETWORK ASSIGNMENT OPERATIONS (DISCRETE-EVENT SIMULATION) 81–98

Analysis of Some Overflow Problems with Queuing 1427–62

ANALYSIS OF THE 47A SIGNAL (SENSITIVITY) 1747–56

ANALYSIS (THERMOELASTIC) OF DISLOCATION GENERATION IN PULLED GaAs CRYSTALS 593–637

ANTENNA (HORN-REFLECTOR; ELIMINATION OF WEATHER-COVER REFLECTIONS) 1333–42

ANTI-SIDETONE NETWORKS FOR TELEPHONE SETS (CLASS OF LOSSLESS, RECIPROCAL) 1483–92

APERTURE CODING FOR SPEECH WAVEFORMS (ADAPTIVE) 471–7

Application of Mathematical Programming to Loop Feeder Allocation (The) 479–500

APPLICATIONS OF FIR FILTERS IN COMMUNICATIONS 1575–98

APPROXIMATION (SADDLE-POINT) FOR M-ARY PHASE-SHIFT KEYING WITH ADJACENT SATELLITE INTERFERENCE 1139–52

APPROXIMATION TECHNIQUE (SIMPLE; CONGESTION IN BLOCKING SYSTEMS) 805–27

Approximations for Customer-Viewed Delays in Multiprogrammed, Transaction-Oriented Computer Systems 1559–74

ARRAYS (SATELLITE PHASED; USE OF IMAGING REFLECTORS WITH SPATIAL FILTERING IN THE FOCAL PLANE TO REDUCE GRATING LOBES) 449–61

ASSIGNMENT OPERATIONS (LOOP NETWORK; DISCRETE-EVENT SIMULATION ANALYSIS OF) 81–98

Atkins, J. 1397–416

ATTENUATION (RAIN) ON EARTH-SATELLITE PATHS; SUMMARY OF 10-YEAR EXPERIMENTS AND STUDIES 183–228

AUTOMATIC DIRECTORY ASSISTANCE

(Application of Minimum-Distance Search Technique to) 1343–56
(Recognition of Spoken Spelled Names Using Speaker-Independent Templates) 571–92
AUTOMATIC FREQUENCY CONTROLLER (MICROPROCESSOR-BASED) 2007–10
AUTOMATIC RECOGNITION OF SPOKEN LETTERS OF THE ALPHABET (USE IN DIRECTORY ASSISTANCE) 571–92
AUTOMATIC TESTING SYSTEM FOR SPECIAL-SERVICE CIRCUITS (SWITCHED ACCESS REMOTE TEST SYSTEM; HUMAN INTERFACE TO) 529–56
Aveyard, R. L. 1317–32

B

BEHAVIOR OF MULTIPAIR CROSSTALK (STATISTICAL) 955–74
BELL SYSTEM
Procedures for Network Administration 829–44
Remote Special-Service Testing (SARTS Overview) 501–27
Beneš, V. E. 1289–96
Bergmann, H. J. 183–228
Berkstresser, G. W. 1549–57
Berreman, D. W. 1175–96
Blank, S. L. 229–57
BLOCK DESIGNS (SWITCHING NETWORKS AND) 1165–73
Blocking Distributions for Trunk Network Administration 829–44
BLOCKING PROBABILITY FOR SWITCHING NETWORKS 1165–73
BLOCKING SYSTEMS (CONGESTION IN; A SIMPLE APPROXIMATION TECHNIQUE) 805–27
Blue, J. L. 169–82, 1893–908
Bonyhard, P. I. 229–57
BREAKDOWN DEGRADATION (SOURCE NETWORKS WITH MINIMAL) 1083–7
Breiland, J. R. 1767–92
BROADBAND APPLICATIONS OF SYMMETRIC *N*-WAY POWER DIVIDERS 1493–512
BUBBLE MEMORY DEVICES USING ION-IMPLANTED PROPAGATION PATTERNS 229–57
BURIED CABLE (EFFECTS OF LIGHTNING PUNCTURES ON THE CORE-SHIELD VOLTAGE OF) 333–66
Burrus, C. A. 1365–82, 1541–8
BUSY LINE VERIFICATION FEATURE (TRAFFIC SERVICE POSITION NO. 1) 1397–416
BUSY-PERIOD ANALYSIS APPLICATION (MEASURING THE UTILIZATION OF A SYNCHRONOUS DATA LINK) 731–44

C

CABLE (BURIED; EFFECTS OF LIGHTNING PUNCTURES ON THE CORE-SHIELD VOLTAGE OF) 333–66
CALCULATION OF CURRENT FLOW IN ELECTROPLATING CELLS (EFFICIENT) 169–82
CALL COMPLETION AND CUSTOMER RETRIAL BEHAVIOR (DIRECT DISTANCE DIALING) 295–311
CANCELER (SINGLE-CHIP VLSI ECHO) 149–60
CAPACITY OF FREQUENCY-REUSE COMMUNICATION SATELLITES (ULTIMATE) 1089–122
Carnevale, A. 1175–96, 1681–91
Carroll, R. L. 1609–43, 1645–80
Caruso, R. 593–637
Cavanaugh, J. R. 1009–60
CELLS (EFFICIENT CALCULATION OF CURRENT FLOW IN ELECTROPLATING) 169–82
Centering of Optical Fiber Coatings by Monitoring Forward Scattering Patterns—Theory and Practice (The) 313–32
CENTRAL OFFICE EQUIPMENT SYSTEMS (DEVELOPING SPACE PLANNING AIDS FOR) 1965–2000
CHANNEL GRAPHS (USE FOR CALCULATING BLOCKING PROBABILITY OF A SWITCHING NETWORK) 1165–73
CHANNEL MODEL FOR ANALYZING EFFECTS OF MULTIPATH FADING IN DIGITAL RADIO SYSTEMS 1197–225
CHANNEL-SPLITTING PROBLEM (SOLUTION FOR A) 1909–21
CHARACTERISTICS OF DOUBLE-MODE FIBERS (PROPAGATION) 1061–72
Chen, F. S. 1877–91
Chen, Y.S. 149–60, 1877–91
Chinnock, E. L. 1365–82
Christensen, S. W. 471–7
Chu, T. S. 987–1007
Chung, F. R. K. 1165–73
Ciesielka, A. J. 417–39
CIRCUIT MAINTENANCE SYSTEM-1B (RELIABILITY OF) 1317–32
CIRCUIT PACK DESIGN AIDS (DESIGNER'S WORKBENCH) 1767–92
CIRCULATORS (SERIES- AND SHUNT-TUNED LUMPED-ELEMENT MICROWAVE) 723–50
Class of Data Traffic Processes—Covariance Function Characterization and Related Queuing Results (A) 897–929
Class of Lossless, Reciprocal Anti-Sidetone Networks for Telephone Sets (A) 1483–92
CLASS OF SYMMETRIC *N*-WAY POWER DI-

VIDERS (COMPUTATION OF THE FREQUENCY RESPONSE OF A) 1493–512
CLEVELAND, SOUTH CAROLINA (LOOP TRANSIENT MEASUREMENTS RECORDED AT) 1645–80
CMS-1B (RELIABILITY OF) 1317–32
COCHANNEL INTERFERENCE (DETECTION EFFICIENCY OF QAM SUBJECT TO) 639–56
CODES (CYCLIC BLOCK; SERIAL CODING FOR) 269–76
CODING
for Cyclic Block Codes (Serial) 269–76
for Multiple Descriptions (Source) 1417–26
for Speech Waveforms (Adaptive Aperture) 471–7
(Interframe Television) Using Gain and Displacement Compensation 1227–40
(Motion-Compensated; Some New Results) 1735–45
Cohen, L. G. 1061–72
COIN SENSOR DESIGN FOR 47A SIGNAL 1747–56
COIN TELEPHONES (1D-TYPE ELECTRONIC; USE OF 47A SIGNAL IN) 1747–56
COMMITMENT (MULTIPLE) OF FEEDER CAPACITY IN THE LOOP PLANT 67–79
COMMON CARRIER BANDS (FADING CHARACTERIZATION FOR MICROWAVE DIGITAL RADIO SYSTEMS IN CHANNELIZED) 1197–225
COMMUNICATION NETWORK (MEASURING UTILIZATION OF LINKS IN A) 731–44
COMMUNICATION SATELLITES (FREQUENCY-REUSE; ULTIMATE CAPACITY OF) 1089–122
Comparison of Vector and Scalar Modes in a Lightguide with a Hyperbolic Secant Index Distribution 1681–91
Computation of the Frequency Response of a Class of Symmetric N-Way Power Dividers 1493–512
COMPUTER-BASED SENSITIVITY ANALYSIS OF THE 47A SIGNAL 1747–56
COMPUTER-COMMUNICATIONS NETWORK (UTILIZATION MEASUREMENT OF LINKS IN A) 731–44
COMPUTER SYSTEMS (MULTIPROGRAMMED, TRANSACTION-ORIENTED; APPROXIMATIONS FOR CUSTOMER-VIEWED DELAYS IN) 1559–74
CONCENTRATION DEPENDENT DIFFUSION (TWO-DIMENSIONAL) 1–41
CONDUCTIVITY (COPPER) AT MILLIMETER-WAVE FREQUENCIES 43–65
Congestion in Blocking Systems—A Simple Approximation Technique 805–27
Conte, R. 1513–24
CONTINUOUS INPUT SIGNALS (TWO-PORT ANALYSIS OF SC NETWORKS WITH) 1297–316
CONTROLLER (FULLY PROGRAMMABLE DIGITAL; MEMORY IMPLEMENTATION OF A) 1599–607
CONVERGENCE (ANALYSIS OF DECISION-DIRECTED EQUALIZER) 1857–76
Conversational-Mode Airline Information and Reservation System Using Speech Input and Output (A) 119–37
CONVERSION OF ACOUSTIC SIGNALS (DIRECT DIGITAL-TO-ANALOG) 1693–719
Copeland, J. A. 1365–82
Copper Conductivity at Millimeter-Wave Frequencies 43–65
CORE-SHIELD VOLTAGE OF BURIED CABLE (EFFECTS OF LIGHTNING PUNCTURES ON THE) 333–66
COST BENEFIT OF MODULAR ENGINEERING FOR DIGITAL NETWORKS 1123–38
COST REDUCTION THROUGH NETWORK REHABILITATION (OPERATING) 881–95
COVARIANCE FUNCTION CHARACTERIZATION AND RELATED QUEUING RESULTS FOR A CLASS OF DATA TRAFFIC PROCESSES 897–929
CRITERIA FOR REHABILITATION OF THE DISTRIBUTION NETWORK (DECISION) 881–95
Critical Section Methods for Loop Plant Allocation 99–117
CROSSTALK (MULTIPAIR; STATISTICAL BEHAVIOR OF) 955–74
Current Directions in GaAs Laser Device Development 669–722
CURRENT FLOW IN ELECTROPLATING CELLS (EFFICIENT CALCULATION OF) 169–82
CUSTOM ELECTRONICS DESIGN AIDS (DESIGNER'S WORKBENCH) 1767–92
CUSTOMER RETRIAL BEHAVIOR AND CALL COMPLETION (DIRECT DISTANCE DIALING) 295–311
CUSTOMER STATION (LOOP TRANSIENTS AT THE) 1609–43
CUSTOMER-VIEWED DELAYS IN MULTIPROGRAMMED, TRANSACTION-ORIENTED COMPUTER SYSTEMS (APPROXIMATIONS FOR) 1559–74
CYCLIC BLOCK CODES (SERIAL CODING FOR) 269–76
Czekaj, B. A. 1197–225

D

DATA-DRIVEN PROGRAMMING TECHNIQUE OF THE DESIGNER'S WORKBENCH 1793–809
DATA LINK (SYNCHRONOUS, UTILIZATION

MEASUREMENT; AN APPLICATION OF BUSY-PERIOD ANALYSIS) 731–44
DATA LINKS (SHORT-HAUL OPTICAL; RELIABLE, HIGH-SPEED LEDs FOR) 161–8
DATA TRAFFIC PROCESSES (COVARIANCE FUNCTION CHARACTERIZATION AND RELATED QUEUING RESULTS FOR A CLASS OF) 897–929
Dattatreya, E. S. 67–72
Dawson, L. R. 161–8
DDD *See* DIRECT DISTANCE DIALING
Decision Criteria for Rehabilitation of the Distribution Network 881–95
DECISION-DIRECTED EQUALIZER CONVERGENCE (ANALYSIS OF) 1857–76
DECODING SCHEME FOR FREQUENCY-HOPPED MULTILEVEL FSK SYSTEM (IMPROVED) 1839–55
DEEP AND SHALLOW PROTON BOMBARDMENT [COMPARISON OF (Al,Ga) As DOUBLE-HETEROSTRUCTURE LASERS FABRICATED WITH] 975–85
DEGRADATION (SOURCE NETWORKS WITH MINIMAL BREAKDOWN) 1083–7
DELAYS (CUSTOMER-VIEWED) IN MULTIPROGRAMMED, TRANSACTION-ORIENTED COMPUTER SYSTEMS (APPROXIMATIONS FOR) 1559–74
DEMAND FOR LOCAL TELEPHONE CALLS AND HOUSEHOLD CHARACTERISTICS (RELATIONSHIPS BETWEEN) 931–53
DEMAND SERVICING IN THE PRESENCE OF MEASUREMENT UNCERTAINTY (TRUNK) 845–60
Dentai, A. G. 1365–82
DEPOLARIZATION OF AN EARTH-SPACE PATH (MICROWAVE) 987–1007
DESIGN AIDS
  for Development of Custom Electronics 1757–65, 1767–92
  Programs Accessed Via an Interlocation Computing Network Using PWB/*UNIX** Operating System 1757–65
  to Develop Manufacturing Information for Circuit Packs 1757–65, 1767–92
Designer's Workbench:
  Philosophy 1757–65
  Programmer Environment (The) 1793–809
  Providing a Production Environment 1811–25
  User Environment (The) 1767–92
Design of Bubble Device Elements Employing Ion-Implanted Propagation Patterns 229–57
DESIGN OF LINEAR-PHASE FIR FILTERS (FINITE PRECISION) 1575–98
Detection Efficiency of 16-ary QAM (The) 639–56
DEUTERIUM-HYDROGEN EXCHANGE (REDUCTION OF THE 1.38-μM WATER PEAK IN OPTICAL FIBERS BY) 1541–8
Developing Space Planning Aids for Central Office Equipment Systems 1965–2000
DEVELOPMENT OF GaAs LASER DEVICES (CURRENT DIRECTIONS IN) 669–722
DEVELOPMENT SYSTEM NEEDS (USE OF DESIGNER'S WORKBENCH TO MEET) 1811–25
Diffeomorphisms and Newton-Direction Algorithms 1721–33
DIFFUSION (TWO-DIMENSIONAL CONCENTRATION DEPENDENT) 1–41
DIGITAL CONTROLLER (FULLY PROGRAMMABLE; MEMORY IMPLEMENTATION OF A) 1599–607
DIGITAL LIGHTWAVE COMMUNICATION (HIGH-SPEED) USING LEDs AND PIN PHOTODIODES AT 1.3 μM 1365–82
DIGITAL MOBILE RADIOTELEPHONY
  (Frequency-Hopped Multilevel FSK for) 1257–75
  (Frequency-Hopped Multilevel FSK; Improved Decoding Scheme for) 1839–55
DIGITAL NETWORKS (DIMENSIONING TRUNK GROUPS FOR) 1123–38
DIGITAL OFFICE (LOCAL; TRANSMISSION PERFORMANCE OF $\mu \cong 255$ QUANTIZATION IN A) 1943–64
DIGITAL OPTICAL RECEIVERS (SENSITIVITY LOSS CAUSED BY INTERSYMBOL INTERFERENCE) 1877–91
DIGITAL RADIO IN COMMON CARRIER, LINE-OF-SIGHT, MICROWAVE BANDS (PROPAGATION MODELING FOR) 763–96
DIGITAL RADIO SYSTEMS (EFFECTS OF MULTIPATH FADING IN) 1197–225
DIGITAL RECEIVING TRANSDUCER (SOLUTION FOR A) 1693–719
DIGITAL TECHNIQUE (POSSIBLE APPLICATION FOR FABRICATION OF LOUDSPEAKERS) 1693–719
DIGITAL-TO-ANALOG CONVERSION OF ACOUSTIC SIGNALS (DIRECT) 1693–719
DIGITAL TRANSMISSION AND SWITCHING IN THE TELEPHONE NETWORK (SUBJECTIVE EFFECTS OF LISTENER ECHO ON) 1009–60
DIGITAL TRANSMISSION SYSTEMS
  (Crosstalk Interference in) 955–74
  (Receiver Sensitivity Loss Caused by Intersymbol Interference) 1877–91
DIGITIZED SPEECH TRANSMISSION IN MOBILE RADIO (FREQUENCY-HOPPING, MULTIPLE-ACCESS, PHASE-SHIFT-KEYING SYSTEMS IN A RAYLEIGH EN-

* *UNIX* is a trademark of Bell Laboratories.

VIRONMENT FOR USE IN) 861–79
Dimensioning Trunk Groups for Digital Networks 1123–38
Direct Digital-to-Analog Conversion of Acoustic Signals 1693–719
Direct Distance Dialing: Call Completion and Customer Retrieval Behavior 295–311
DIRECTORY ASSISTANCE
(Automatic; Application of Minimum-Distance Search Technique to) 1343–56
Using Speaker-Independent Templates (Recognition of Spoken Spelled Names for) 571–92
Discrete-Event Simulation Analysis of Loop Network Assignment Operations (A) 81–98
DISLOCATION GENERATION IN PULLED GAAS CRYSTALS (THERMOELASTIC ANALYSIS OF) 593–637
DISPLACEMENT AND GAIN COMPENSATION (INTERFRAME TELEVISION CODING USING) 1227–40
DISPLACEMENT OF OBJECTS IN A TELEVISION SCENE (MOTION-COMPENSATED CODING SCHEME FOR) 1735–45
DISTRIBUTION NETWORK (DISTRIBUTION CRITERIA FOR REHABILITATION OF THE) 881–95
DISTRIBUTIONS (BLOCKING) FOR TRUNK NETWORK ADMINISTRATION 829–44
Dixon, R. W. 669–722, 975–85
DOPPLER/FADING CORRECTION (PILOT-BASED; IMPAIRMENT MECHANISMS FOR SSB MOBILE COMMUNICATIONS AT UHF WITH) 1923–42
DOUBLE-HETEROSTRUCTURE LASERS [(AL,GA)AS; COMPARISON OF DEVICES FABRICATED WITH DEEP AND SHALLOW PROTON BOMBARDMENT] 975–85
DOUBLE-MODE FIBERS (PROPAGATION CHARACTERISTICS OF) 1061–72
Douglas, D. C. 417–39
Dragone, C. 449–61
Duttweiler, D. L. 149–60
DWB *See* DESIGNER'S WORKBENCH

E

EARPHONE TRANSDUCER SUITABLE FOR USE AS A TELEPHONE RECEIVER 1693–719
EARTH-SATELLITE PATHS (RAIN ATTENUATION ON; SUMMARY OF 10-YEAR EXPERIMENTS AND STUDIES) 183–228
EARTH-SPACE PATH (MICROWAVE DEPOLARIZATION OF) 987–1007
ECHO CANCELER (SINGLE-CHIP VLSI) 149–60
ECHO (LISTENER) ON TELEPHONE CONNECTIONS (MODEL FOR THE SUBJECTIVE EFFECTS OF) 1009–60
Economic Evaluation of Loop Feeder Relief Alternatives 277–93
EDITING STORED SPEECH (EXPERIMENTAL SYSTEM FOR) 1383–95
Effects of Lightning Punctures on the Core-Shield Voltage of Buried Cable 333–66
EFFECTS OF LISTENER ECHO ON TELEPHONE CONNECTIONS (MODEL FOR THE SUBJECTIVE) 1009–60
Effects of Scanning Interval on Peak Load Measurements 1513–24
EFFICIENCY OF 16-ARY QAM (DETECTION) 639–56
Efficient Calculation of Current Flow in Electroplating Cells 169–82
Eichenbaum, B. R. 313–32
Einarsson, G. 1241–55
ELECTRET TRANSMITTER (EL2; TECHNOLOGY DEVELOPMENT) 745–62
ELECTROMAGNETIC SCATTERING BY WIDE SCATTERERS (INTEGRAL EQUATIONS FOR) 1893–908
ELECTRONIC COIN TELEPHONES (1D-TYPE; USE OF 47A SIGNAL IN) 1747–56
Electronics in the Suburban and Light Urban Loop Networks 417–39
ELECTROPLATING CELLS (EFFICIENT CALCULATION OF CURRENT FLOW IN) 169–82
ELIMINATING WEATHER-COVER REFLECTIONS ON HORN-REFLECTOR ANTENNA 1333–42
Elken, T. R. 479–500
Elsner, W. B. 1123–38
EL2 Electret Transmitter: Technology Development (The) 745–62
ENVIRONMENT OF DESIGNER'S WORKBENCH (USER) 1767–92
EQUALIZER CONVERGENCE (ANALYSIS OF DECISION-DIRECTED) 1857–76
EQUATIONS FOR LIGHTGUIDES (EXACT NUMERICAL SOLUTION TO MAXWELL'S) 1175–96
EQUATIONS (INTEGRAL) FOR ELECTROMAGNETIC SCATTERING BY WIDE SCATTERERS 1893–908
EQUIPMENT SYSTEMS (CENTRAL OFFICE; DEVELOPING SPACE PLANNING AIDS FOR) 1965–2000
ESTIMATOR (LEAST-SQUARES) FOR FREQUENCY-SHIFT POSITION MODULATION IN WHITE NOISE 1289–96
EVALUATION OF LOOP FEEDER RELIEF ALTERNATIVES (ECONOMIC) 277–93
Exact Numerical Solution to Maxwell's Equations for Lightguides (An) 1175–96

Experimental Speech Storage and Editing Facility (An) 1383–95

F

FACILITIES ENGINEERING (PEAK LOAD MEASUREMENTS FOR USE IN) 1513–24
FADE DURATION (LOGNORMAL DISTRIBUTION OF; 10-YEAR SUMMARY OF RAIN ATTENUATION ON EARTH-SATELLITE PATHS) 183–228
FADING
(Multipath) Channel Responses (Polynomial Model for) 1197–225
(Multipath) on Line-of-Sight Microwave Paths (Time- and Frequency-Domain Representation of) 763–96
FADING ENVIRONMENT (RAYLEIGH; FREQUENCY-HOPPING, MULTIPLE-ACCESS, PHASE-SHIFT-KEYING SYSTEM PERFORMANCE IN A) 861–79
FEEDER ALLOCATION (LOOP; APPLICATION OF MATHEMATICAL PROGRAMMING TO) 479–500
FEEDER CAPACITY IN THE LOOP PLANT (MULTIPLE COMMITMENT OF) 67–79
FEEDER RELIEF ALTERNATIVES (LOOP; ECONOMIC EVALUATION OF) 277–93
FET *See* FIELD EVALUATION TRIAL
FIBER COATINGS (OPTICAL, CENTERING OF BY MONITORING FORWARD SCATTERING PATTERNS; THEORY AND PRACTICE) 313–32
FIBERGUIDES (DOUBLE-MODE; TRANSMISSION CHARACTERISTICS OF) 1061–72
FIBER-OPTICS COMMUNICATIONS APPLICATIONS (USE OF GaAs LASERS IN) 669–722
FIBERS
(Double-Mode; Propagation Characteristics of) 1061–72
(Optical; Reduction of 1.38-μm Water Peak by Deuterium-Hydrogen Exchange) 1541–8
FIELD EVALUATION TRIAL (WT-4; COPPER CONDUCTIVITY AT MILLIMETER-WAVE FREQUENCIES) 43–65
FIELD-OF-USE GUIDELINE FOR CIRCUIT MAINTENANCE SYSTEM-1B 1317–32
FILTERS (LINEAR-PHASE FIR; FINITE PRECISION DESIGN OF) 1575–98
FINITE IMPULSE RESPONSE *See* FIR
Finite Precision Design of Linear-Phase FIR Filters 1575–98
FIR FILTERS (FINITE PRECISION DESIGN OF LINEAR-PHASE) 1575–98
Flanagan, J. L. 1693–719
FOCAL PLANE SPATIAL FILTERING TO REDUCE GRATING LOBES (USE IN SATELLITE PHASED ARRAYS OF IMAGING REFLECTORS WITH) 449–61
FOCUSED WEATHER COVER FOR ELIMINATING REFLECTIONS ON HORN-REFLECTOR ANTENNA 1333–42
FORWARD SCATTERING PATTERNS (CENTERING OF OPTICAL FIBER COATINGS BY MONITORING; THEORY AND PRACTICE) 313–32
47A SIGNAL (SENSITIVITY ANALYSIS OF THE) 1747–56
Fredericks, A. A. 805–27, 1559–74
Freedman, H. T. 81–98, 881–95
French, W. G. 1061–72
FREQUENCY AND AMPLITUDE MODULATION (SIMULTANEOUS; SPECTRAL SHAPING BY) 557–70
FREQUENCY- AND TIME-DOMAIN REPRESENTATION OF MULTIPATH FADING ON LINE-OF-SIGHT MICROWAVE PATHS 763–96
Frequency-Hopped Multilevel FSK for Mobile Radio 1257–75
FREQUENCY-HOPPED MULTILEVEL FSK SYSTEM (IMPROVED DECODING SCHEME FOR) 1839–55
Frequency - Hopping, Multiple - Access, Phase-Shift-Keying System Performance in a Rayleigh Fading Environment 861–79
FREQUENCY RESPONSE COMPUTATION OF A CLASS OF SYMMETRIC *N*-WAY POWER DIVIDERS 1493–512
FREQUENCY-REUSE COMMUNICATION SATELLITES (ULTIMATE CAPACITY OF) 1089–122
FREQUENCY SHIFT KEYING *See* FSK
FREQUENCY-SHIFT POSITION MODULATION IN WHITE NOISE (LEAST-SQUARES ESTIMATOR FOR) 1289–96
Friedenson, R. A. 1767–92
FSK FOR MOBILE RADIO
(Frequency-Hopped Multilevel) 1257–75
(Frequency-Hopped Multilevel; Improved Decoding Scheme for) 1839–55
FSK SYSTEM (FREQUENCY-HOPPED MULTILEVEL; IMPROVED DECODING SCHEME FOR) 1893–55
FULL-HOP SATELLITE CIRCUITS (USE OF SINGLE-CHIP VLSI ECHO CANCELER IN) 149–60
FULLY PROGRAMMABLE DIGITAL CONTROLLER (MEMORY IMPLEMENTATION OF A) 1599–607

G

GaAs CRYSTALS (PULLED; THERMOELASTIC ANALYSIS OF DISLOCATION GENERATION IN) 593–637
GaAs LASER DEVICE DEVELOPMENT (CUR-

RENT DIRECTIONS IN) 669–722
GAIN AND DISPLACEMENT COMPENSATION (INTERFRAME TELEVISION CODING USING) 1227–40
Gans, M. J. 449–61
GENERALIZED PROGRAMMING TECHNIQUE OF THE DESIGNER'S WORKBENCH 1793–809
Gibson, A. E. 99–117
Giguere, W. J. 501–27
Gloge, D. 1365–82
Goodman, D. J. 1257–75
GRATING LOBE REDUCTION THROUGH USE OF IMAGING REFLECTORS WITH SPATIAL FILTERING IN THE FOCAL PLANE FOR SATELLITE PHASED ARRAYS 449–61
Greenstein, L. J. 1197–225

H

Harms, T. R. 81–98
Hatch, R. W. 1009–60
Heffes, H. 897–929
Henry, P. S. 1257–75
High-Speed Digital Lightwave Communication Using LEDs and PIN Photodiodes at 1.3 μm 1365–82
HIGH-SPEED LEDs FOR SHORT-HAUL OPTICAL DATA LINKS (RELIABLE) 161–8
Hinderks, L. W. 43–65
Horn-Reflector Antenna—Eliminating Weather-Cover Reflections 1333–42
HOUSEHOLD CHARACTERISTICS AND DEMAND FOR LOCAL TELEPHONE CALLS (RELATIONSHIPS BETWEEN) 932–53
Human Interface to the Switched Access Remote Test System (The) 529–56
HUMAN-MACHINE INTERFACE FOR AUTOMATED TESTING OF SPECIAL-SERVICE CIRCUITS 529–56
HYPERBOLIC SECANT INDEX DISTRIBUTION (COMPARISON OF VECTOR AND SCALAR MODES IN A LIGHTGUIDE WITH) 1681–91

I

ICE PARTICLES AND RAIN (MICROWAVE DEPOLARIZATION OF EARTH-SPACE PATH CAUSED BY) 987–1007
IMAGING REFLECTORS WITH SPATIAL FILTERING IN THE FOCAL PLANE TO REDUCE GRATING LOBES (USE IN SATELLITE PHASED ARRAYS) 449–61
Impairment Mechanisms for SSB Mobile Communications at UHF with Pilot-Based Doppler/Fading Correction 1923–42
IMPLANTS (ION, BUBBLE DEVICES WITH PATTERNED) 229–57
IMPLEMENTATION CONSTRAINTS OF THE DESIGNER'S WORKBENCH 1757–65
IMPLEMENTATION OF A FULLY PROGRAMMABLE DIGITAL CONTROLLER (MEMORY) 1599–607
Improved Decoding Scheme for Frequency-Hopped Multilevel FSK System 1839–55
IMPURITY ATOM DISTRIBUTION (NONLINEAR AND GEOMETRIC EFFECTS; APPLICATION OF TWO-DIMENSIONAL CONCENTRATION DEPENDENT DIFFUSION) 1–41
INDEX DISTRIBUTION (HYPERBOLIC SECANT; COMPARISON OF VECTOR AND SCALAR MODES IN A LIGHTGUIDE WITH) 1681–91
Infosino, W. J. 931–53
INPUT SIGNALS (CONTINUOUS; TWO-PORT ANALYSIS OF SC NETWORKS WITH) 1297–316
Integral Equations for Electromagnetic Scattering by Wide Scatterers 1893–908
INTERACTIVE APPROACH TO INTEGRATING DESIGN AIDS (DESIGNER'S WORKBENCH)
Philosophy 1757–65
Production Environment 1811–25
Programmer Environment 1793–809
User Environment 1767–92
INTERFACE (HUMAN) TO THE SWITCHED ACCESS REMOTE TEST SYSTEM 529–56
INTERFERENCE
(Adjacent Satellite; Saddle-Point Approximation for M-ary Phase-Shift Keying with) 1139–52
(Intersymbol; Sensitivity Loss of Digital Optical Receivers Caused by) 1877–91
Interframe Television Coding Using Gain and Displacement Compensation 1227–40
INTERSYMBOL INTERFERENCE (SENSITIVITY LOSS OF DIGITAL OPTICAL RECEIVERS CAUSED BY) 1877–91
ION-IMPLANTED PROPAGATION PATTERNS (DESIGN OF BUBBLE DEVICE ELEMENTS EMPLOYING) 229–57

J

Jayant, N. S. 471–7
JOB SUBMISSION IN THE DESIGNER'S WORKBENCH 1767–92

Johnson, W. A. 229–57
Jordan, A. S. 593–637
Joyce, W. B. 975–85

K

Karmakar, S. B. 1357–64
Kartalopoulos, S. V. 1599–607
Keramidas, V. G. 161–8, 1549–57
Khanna, S. P. 745–62
Knerr, R. H. 723–30
Koontz, W. L. G. 277–93
Kummer, R. B. 441–7
Kurth, C. F. 1297–316

L

LARGE SECONDARY QUEUE (SOME TRAFFIC OVERFLOW PROBLEMS WITH A) 1463–82
LASER DEVICE DEVELOPMENT (GaAs; CURRENT DIRECTIONS IN) 669–722
LASERS [(Al,Ga)As DOUBLE-HETEROSTRUCTURE; COMPARISON OF DEVICES FABRICATED WITH DEEP AND SHALLOW PROTON BOMBARDMENT] 975–85
LAUNCH BEAM NUMERICAL APERTURE (EFFECTS ON LIGHTGUIDE SPLICE LOSS) 441–7
Lawrence, V. B. 1575–98
Least-Squares Estimator for Frequency-Shift Position Modulation in White Noise 1289–96
Leck, R. P. 2007–10
LEDs
  and PIN Photodiodes (Use in 1.3-μm High-Speed Digital Lightwave Communication) 1365–82
  for Optical Links (Planar, Fast, Reliable, Single Heterojunction for) 1549–57
  for Short-Haul Optical Data Links (Reliable, High Speed) 161–8
Lee, T. P. 1365–82
Leland, K. W. 1923–42
Levinson, S. E. 119–37, 1343–56
Li, T. 1365–82
LIGHT-EMITTING DIODE *See also* LED
LIGHT-EMITTING DIODES FOR OPTICAL-LINKS (PLANAR, FAST, RELIABLE, SINGLE-HETEROJUNCTION) 1549–57
Lightguide Splice Loss—Effects of Launch Beam Numerical Aperture 441–7
LIGHTGUIDE WITH A HYPERBOLIC SECANT INDEX DISTRIBUTION (COMPARISON OF VECTOR AND SCALAR MODES IN A) 1681–91
LIGHTGUIDES (EXACT NUMERICAL SOLUTION TO MAXWELL'S EQUATIONS FOR) 1175–96
LIGHTNING DISTURBANCES ON TELEPHONE LOOPS
  (Recorded in Cleveland, South Carolina) 1645–80
  (Recorded in Washington, Connecticut) 1609–43
LIGHTNING PUNCTURES ON BURIED CABLE 333–66
LIGHT URBAN AND SUBURBAN LOOP NETWORKS (ELECTRONICS IN THE) 417–39
LIGHTWAVE COMMUNICATION (HIGH-SPEED DIGITAL) USING LEDs AND PIN PHOTODIODES AT 1.3 μm) 1365–82
LIGHTWAVE COMMUNICATIONS SYSTEMS (USE OF GaAs LASERS IN) 669–722
Lin, C. 1061–72
Lin, S. H. 183–228, 955–74
LINEAR-PHASE FIR FILTERS (FINITE PRECISION DESIGN OF) 1575–98
LINE-OF-SIGHT MICROWAVE PATHS (TIME- AND FREQUENCY-DOMAIN REPRESENTATION OF MULTIPATH FADING ON) 763–96
LISTENER ECHO ON TELEPHONE CONNECTIONS (MODEL FOR THE SUBJECTIVE EFFECTS OF) 1009–60
Liu, K. S. 295–311
LOAD MEASUREMENTS (PEAK; EFFECTS OF SCANNING INTERVAL ON) 1513–24
LOCAL DIGITAL OFFICE (TRANSMISSION PERFORMANCE OF $\mu \cong 255$ QUANTIZATION IN A) 1943–64
LOCAL TELEPHONE CALLS AND HOUSEHOLD CHARACTERISTICS (RELATIONSHIPS BETWEEN DEMAND FOR) 931–53
Longhitano, R. 1747–56
LOOP ELECTRONICS (COST SAVINGS WHEN USED IN SUBURBAN AND LIGHT URBAN NETWORKS) 417–39
LOOP FEEDER
  Allocation (Application of Mathematical Programming to) 479–500
  Relief Alternatives (Economic Evaluation of) 277–93
LOOP NETWORK ASSIGNMENT OPERATIONS (DISCRETE-EVENT SIMULATION ANALYSIS OF) 81–98
LOOP NETWORKS (ELECTRONICS IN THE SUBURBAN AND LIGHT URBAN) 417–39
LOOP PLANT
  Allocation (Critical Section Methods for) 99–117
  (Multiple Commitment of Feeder Capacity in the) 67–79
Loop Transient Measurements in Cleveland, South Carolina 1645–80
Loop Transients at the Customer Station 1609–43
LOSSLESS, RECIPROCAL ANTI-SIDETONE

NETWORKS FOR TELEPHONE SETS (CLASS OF) 1483–92
Loss (Sensitivity) of Digital Optical Receivers Caused by Intersymbol Interference 1877–91
Luber, D. B. 99–117
Lumped-Element Microwave Circulators (Series- and Shunt-Tuned) 723–30

M

MAC-8/MAC-Tutor (Microprocessor-Based) Automatic Frequency Controller 2007–10
Maione, A. 43–65
Mammel, W. L. 1061–72
Man, F. T. 1317–32
Man-Machine Voice Communication (Conversational-Mode Airline Information and Reservation System) 119–37
M-ary Phase-Shift Keying with Adjacent Satellite Interference (Saddle-Point Approximation for) 1139–52
Mathematical Programming (Application to Loop Feeder Allocation) 479–500
Maxemchuk, N. F. 1383–95
Maxwell's Equations for Lightguides (Exact Numerical Solution to) 1175–97
Mazo, J. E. 1857–76
McDonald, P. H. 1793–809
McNees, G. K. 1943–64
Means, D. R. 1483–92
Measurement of Peak Loads (Effects of Scanning Interval on) 1513–24
Measurement Uncertainty (Trunk Demand Servicing in the Presence of) 845–60
Measurements (Loop Transient) in Cleveland, South Carolina 1645–80
Measuring the Utilization of a Synchronous Data Link: An Application of Busy-Period Analysis 731–44
Memory Implementation of a Fully Programmable Digital Controller (A) 1599–607
Microprocessor-Based Automatic Frequency Controller (A) 2007–10
Microwave Circulators (Series- and Shunt-Tuned Lumped-Element) 723–30
Microwave Depolarization of an Earth-Space Path 987–1007
Microwave Digital Radio Systems (Channel Model for Analyzing Effects of Multipath Fading in) 1197–225
Microwave Paths (Line-of-Sight; Time- and Frequency-Domain Representation of Multipath Fading on) 763–96
Miller, P. S. 1609–43
Millimeter-Wave Frequencies (Copper Conductivity at) 43–65
Minimal Breakdown Degradation (Source Networks with) 1083–7
Minimum-Distance Search Technique and its Application to Automatic Directory Assistance (A) 1343–56
Mobile Communications (SSB) at UHF with Pilot-Based Doppler/Fading Correction (Impairment Mechanisms for) 1923–42
Mobile Radio
  Communication (Address Assignment for Multiple-Access Satellite System for) 1241–55
  Communication Systems (Frequency-Hopping, Multiple-Access, Phase-Shift-Keying Systems in a Rayleigh Environment for Use in) 861–79
  (Frequency-Hopped Multilevel FSK for) 1257–75
  (Frequency-Hopped Multilevel FSK; Improved Decoding Scheme for) 1839–55
Model for Multipath Fading Channel Responses (Polynomial) 1197–225
Model for the Subjective Effects of Listener Echo on Telephone Connections (A) 1009–60
Modes (Vector and Scalar) in a Lightguide with a Hyperbolic Secant Index Distribution (Comparison of) 1681–91
Modular Engineering for Digital Networks (Cost Benefit of) 1123–38
Modular Programming Technique of the Designer's Workbench 1793–809
Modulation in White Noise (Least-Squares Estimator for Frequency-Shift Position) 1289–96
Modulation (Simultaneous Amplitude and Frequency; Spectral Shaping by) 557–70
Monitoring Forward Scattering Patterns (Centering of Optical Fiber Coatings by; Theory and Practice) 313–32
Morrison, J. A. 1427–62, 1463–82
MOS Transistors (Narrow-Channel; Two-Dimensional Concentration Dependence Diffusion Relevant to Fabrication of) 1–41

Motion-Compensated Coding: Some New Results 1735–45
MOTION-COMPENSATED TELEVISION CODING (NEW RESULTS FOR) 1735–45
MOVING-AVERAGE PROCESSES (ON PREDICTION OF) 367–415
$\mu \cong 255$ QUANTIZATION IN A LOCAL DIGITAL OFFICE (TRANSMISSION PERFORMANCE OF) 1943–64
MULTIGAUGE FEEDER ROUTES WITH COMPLEX TOPOLOGIES (ALLOCATION ALGORITHMS FOR) 99–117
MULTILEVEL FSK FOR MOBILE RADIO
(Frequency-Hopped) 1257–75
(Frequency-Hopped; Improved Decoding Scheme for) 1839–55
MULTIPAIR CROSSTALK (STATISTICAL BEHAVIOR OF) 955–74
MULTIPATH FADING
Channel Responses (Polynomial Model for) 1197–225
on Line-of-Sight Microwave Paths (Time- and Frequency-Domain Representation of) 763–96
MULTIPLE-ACCESS, FREQUENCY-HOPPING, PHASE-SHIFT-KEYING SYSTEM PERFORMANCE IN A RAYLEIGH FADING ENVIRONMENT 861–79
MULTIPLE-ACCESS SATELLITE COMMUNICATION (FREQUENCY-HOPPED FSK; IMPROVED DECODING SCHEME FOR) 1839–55
MULTIPLE-ACCESS SATELLITE COMMUNICATION SYSTEM FOR MOBILE RADIO (ADDRESS ASSIGNMENT FOR) 1241–55
Multiple Commitment of Feeder Capacity in the Loop Plant 67–79
MULTIPLE DESCRIPTIONS (SOURCE CODING FOR) 1417–26
MULTIPLE SPOT-BEAM FREQUENCY-REUSE COMMUNICATION SATELLITES 1089–122
MULTIPLING IN FEEDER COMMITMENT FOR SERVING AREA CONCEPT 67–79
MULTIPROGRAMMED, TRANSACTION-ORIENTED COMPUTER SYSTEMS (APPROXIMATIONS FOR CUSTOMER-VIEWED DELAYS IN) 1559–74

N

NAMES (SPOKEN SPELLED; RECOGNITION FOR DIRECTORY ASSISTANCE USING SPEAKER-INDEPENDENT TEMPLATES) 571–92
NARROW-CHANNEL MOS TRANSISTORS (TWO-DIMENSIONAL CONCENTRATION DEPENDENCE DIFFUSION RELEVANT TO FABRICATION OF) 1–41
NATIONWIDE LONG-TERM RAIN RATE DISTRIBUTIONS (10-YEAR SUMMARY OF RAIN ATTENUATION ON EARTH-SATELLITE PATHS) 183–228
Neal, S R. 829–44
Neigh, J. L. 1009–60
Nelson, T. J. 229–57
Netravali, A. N. 1227–40, 1735–45
NETWORK
Administration (Trunk; Blocking Distributions for) 829–44
Assignment Operations (Loop; Discrete-Event Simulation Analysis of) 81–98
(Distribution; Decision Criteria for the Rehabilitation of the) 881–95
(Loop Plant; Critical Section Methods for Allocation for) 99–117
Rehabilitation (Decision Criteria for) 881–95
NETWORKS
(Digital; Dimensioning Trunk Groups for) 1123–38
for Telephone Sets (Class of Lossless, Reciprocal Anti-Sidetone) 1483–92
(Loop; Electronics in the Suburban and Light Urban) 427–39
(Switching) and Block Designs 1165–73
with Continuous Input Signals (Two-Port Analysis of SC) 1297–316
with Minimal Breakdown Degradation (Source) 1083–7
NEW FEATURES OF THE DESIGNER'S WORKBENCH 1767–92
NEW RESULTS FOR MOTION-COMPENSATED CODING 1735–45
NEWTON-DIRECTION ALGORITHMS (DIFFEOMORPHISMS AND) 1721–33
NUMERICAL APERTURE (LAUNCH BEAM; EFFECTS ON LIGHTGUIDE SPLICE LOSS) 441–7
NUMERICAL SOLUTION TO MAXWELL'S EQUATIONS FOR LIGHTGUIDES (EXACT) 1175–96
N-WAY POWER DIVIDERS (SYMMETRIC; COMPUTATION OF THE FREQUENCY RESPONSE OF A CLASS OF) 1493–512

O

OBJECTIVES OF THE DESIGNER'S WORKBENCH 1793–809
OFFICE PLANNING GUIDELINES FOR LARGE EQUIPMENT SYSTEMS 1965–2000
Ogawa, K. 1365–82
1D-TYPE ELECTRONIC COIN TELEPHONES (USE OF 47A SIGNAL IN) 1747–56
1.38-μm WATER PEAK REDUCTION IN OPTICAL FIBERS BY DEUTERIUM-HYDRO-

GEN EXCHANGE 1541–8
O'Neill, L. A. 1757–65
ON-LINE TUTORIALS IN DESIGNER'S WORKBENCH 1767–92
OPTICAL DATA LINKS
(Planar, Fast, Reliable, Single-Heterojunction Light-Emitting Diodes for) 1549–57
(Short-Haul; Reliable, High-Speed LEDs for) 161–8
OPTICAL FIBER
Coatings (Centering of by Monitoring Forward Scattering Patterns; Theory and Practice) 313–32
Communication Systems Using LEDs and PIN Photodiodes at 1.3 μm 1365–82
Lightguide Splice Loss (Effects of Launch Beam Numerical Aperture on) 441–7
Transmission Systems (Use of Reliable, High-Speed LEDs for Short Haul) 161–8
OPTICAL FIBERS (REDUCTION OF 1.38-μm WATER PEAK BY DEUTERIUM-HYDROGEN EXCHANGE) 1541–8
OPTICAL LINKS (PLANAR, FAST, RELIABLE, SINGLE - HETEROJUNCTION LIGHT-EMITTING DIODES FOR) 1549–57
OPTICAL RECEIVERS (DIGITAL; SENSITIVITY LOSS CAUSED BY INTERSYMBOL INTERFERENCE) 1877–91
OVERFLOW PROBLEMS WITH A LARGE SECONDARY QUEUE (SOME TRAFFIC) 1463–82
OVERFLOW PROBLEMS WITH QUEUING (ANALYSIS OF SOME) 1427–62
OVERFLOW TRAFFIC (APPROXIMATION FOR BLOCKING OF) 805–27
OVERVIEW OF REMOTE SPECIAL-SERVICE TESTING IN THE BELL SYSTEM (SARTS) 501–27
Ozarow, L. 1909–21

P

PACKET-SWITCHING NETWORK (COVARIANCE FUNCTION CHARACTERIZATION AND RELATED QUEUING RESULTS) 897–929
Paek, U.C. 1175–96, 1681–91
Papers by Bell Laboratories Authors 143–7, 265–7, 467–70, 661–7, 799–803, 1079–82, 1283–5, 1533–7, 1833–5, 2003–4
PATTERNED IMPLANTS (BUBBLE DEVICES WITH) 229–57
PATTERN RECOGNITION PROBLEMS (APPLICATION OF MINIMUM-DISTANCE SEARCH TECHNIQUE TO) 1343–56
PEAK LOAD MEASUREMENTS (EFFECTS OF SCANNING INTERVAL ON) 1513–24
PERFORMANCE IN A RAYLEIGH FADING ENVIRONMENT (FREQUENCY-HOPPING, MULTIPLE - ACCESS, PHASE - SHIFT-KEYING SYSTEM) 861–79
PERFORMANCE OF $\mu \cong 255$ QUANTIZATION IN A LOCAL DIGITAL OFFICE (TRANSMISSION) 1943–64
Peterson, G. E. 1175–96, 1681–91
Pfeufer, F. J. 529–56
PHASED ARRAYS (SATELLITE; USE OF IMAGING REFLECTORS WITH SPATIAL FILTERING IN THE FOCAL PLANE TO REDUCE GRATING LOBES) 449–61
PHASE-SHIFT KEYING
Frequency-Hopping, Multiple-Access System Performance in a Rayleigh Fading Environment 861–79
(M-ary) with Adjacent Satellite Interference (Saddle-Point Approximation for) 1139–52
PHILOSOPHY OF THE DESIGNER'S WORKBENCH 1757–65
PILOT-BASED DOPPLER/FADING CORRECTION (IMPAIRMENT MECHANISMS FOR SSB MOBILE COMMUNICATIONS AT UHF WITH) 1923–42
PIN PHOTODIODES AND LEDS (USE IN 1.3-μm HIGH-SPEED DIGITAL LIGHTWAVE COMMUNICATION) 1365–82
Planar, Fast, Reliable, Single-Heterojunction Light-Emitting Diodes for Optical Links 1549–57
Polynomial Model for Multipath Fading Channel Responses (A) 1197–225
POWER DIVIDERS (SYMMETRIC *N*-WAY; COMPUTATION OF THE FREQUENCY RESPONSE OF A CLASS OF) 1493–512
Prabhu, V. K. 639–56, 1257–75
PRECISION DESIGN OF LINEAR-PHASE FIR FILTERS (FINITE) 1575–98
Prediction of Moving-Average Processes (On) 367–415
PRODUCTION ENVIRONMENT OF DESIGNER'S WORKBENCH 1811–25
PRODUCTION LINE LIGHTGUIDE PREFORMS (APPLICABILITY OF NUMERICAL SOLUTION TO MAXWELL'S EQUATIONS TO) 1175–96
PRODUCTION SYSTEM NEEDS (USE OF DESIGNER'S WORKBENCH TO MEET) 1811–25
PROGRAMMABLE DIGITAL CONTROLLER (MEMORY IMPLEMENTATION OF) 1599–607
PROGRAMMER ENVIRONMENT OF THE DESIGNER'S WORKBENCH 1793–809
PROGRAMMING
in Loop Feeder Application 479–500

Methods and Objectives of the Designer's Workbench 1793–809
Propagation Characteristics of Double-Mode Fibers 1061–72
PROPAGATION PATTERNS (ION-IMPLANTED; DESIGN OF BUBBLE DEVICE ELEMENTS EMPLOYING) 229–57
PROTECTORS AND STATION EQUIPMENT DESIGN (ACCOMMODATION OF LIGHTNING DISTURBANCES IN) 1609–43, 1645–80
PROTON BOMBARDMENT [DEEP AND SHALLOW; COMPARISON OF (Al,Ga) As DOUBLE-HETEROSTRUCTURE LASERS FABRICATED WITH] 975–85
PROVIDING A PRODUCTION ENVIRONMENT FOR THE DESIGNER'S WORKBENCH 1811–25
PULLED GaAs CRYSTALS (THERMOELASTIC ANALYSIS OF DISLOCATION GENERATION IN) 593–637
PUNCTURES (LIGHTNING) ON CORE-SHIELD VOLTAGE OF BURIED CABLE (EFFECTS OF) 333–66
Pursley, M. V. 183–228

Q

QAM (16-ARY; DETECTION EFFICIENCY OF) 639–56
QUANTIZATION ($\mu \cong 255$) IN A LOCAL DIGITAL OFFICE (TRANSMISSION PERFORMANCE OF) 1943–64
QUEUE (LARGE SECONDARY; SOME TRAFFIC OVERFLOW PROBLEMS WITH A) 1463–82
QUEUING (ANALYSIS OF SOME OVERFLOW PROBLEMS WITH) 1427–62
QUEUING RESULTS AND COVARIANCE FUNCTION CHARACTERIZATION FOR A CLASS OF DATA TRAFFIC PROCESSES 897–929

R

Rabiner, L. R. 571–92, 1153–63
RADIO COMMUNICATION (MOBILE; ADDRESS ASSIGNMENT FOR MULTIPLE-ACCESS SATELLITE SYSTEM FOR) 1241–55
RADIOTELEPHONY
(Digital Mobile; Frequency-Hopped Multilevel FSK for) 1257–75
(Frequency-Hopped Multilevel FSK Digital Mobile; Improved Decoding Scheme for) 1839–55
RAIN AND ICE PARTICLES (MICROWAVE DEPOLARIZATION OF EARTH-SPACE PATH CAUSED BY) 987–1007
RAIN ATTENUATION DISTRIBUTION (GEOGRAPHIC AND FREQUENCY VARIATIONS OF; 10-YEAR SUMMARY, EARTH-SATELLITE PATHS) 183–228
Rain Attenuation on Earth-Satellite Paths—Summary of 10-Year Experiments and Studies 183–228
RAIN ATTENUATION STATISTICS (DIURNAL, MONTHLY AND YEARLY VARIATIONS OF; 10-YEAR SUMMARY, EARTH SATELLITE PATHS) 183–228
Raschke, K. A. 1397–416
RAYLEIGH FADING ENVIRONMENT (FREQUENCY-HOPPING, MULTIPLE-ACCESS, PHASE-SHIFT-KEYING SYSTEM PERFORMANCE IN A) 861–79
RAY TRACE MODEL OF FORWARD SCATTERING PATTERN 313–32
RECEIVERS (DIGITAL OPTICAL; SENSITIVITY LOSS CAUSED BY INTERSYMBOL INTERFERENCE) 1877–91
RECIPROCAL, LOSSLESS ANTI-SIDETONE NETWORKS FOR TELEPHONE SETS (CLASS OF) 1483–92
Recognition of Spoken Spelled Names for Directory Assistance Using Speaker-Independent Templates 571–92
Reduction of the 1.38-μm Water Peak in Optical Fibers by Deuterium-Hydrogen Exchange 1541–8
REFLECTIONS ON HORN-REFLECTOR ANTENNA (ELIMINATION OF WEATHER-COVER) 1333–42
REHABILITATION OF THE DISTRIBUTION NETWORK (DESIGN CRITERIA FOR) 881–95
Relationships Between the Demand for Local Telephone Calls and Household Characteristics 931–53
RELIABILITY OF THE CIRCUIT MAINTENANCE SYSTEM-1B 1317–32
Reliable, High-Speed LEDs for Short-Haul Optical Data Links 161–8
RELIEF ALTERNATIVES (LOOP FEEDER; ECONOMIC EVALUATION OF) 277–93
Remke, R. L. 745–62
REMOTE SPECIAL-SERVICE TESTING IN THE BELL SYSTEM (SARTS OVERVIEW) 501–27
REMOTE TEST SYSTEM
(Switched Access; Human Interface to the) 529–56
(Switched Access; Overview of Remote Special-Service Testing in the Bell System) 501–27
REPERTORY-DIALER SYSTEM (VOICE-CONTROLLED) 1153–63
RETRIAL BEHAVIOR OF CUSTOMER PLACING DIRECT-DISTANCE-DIALING CALL 295–311
Robbins, J. D. 1227–40, 1735–45

Roman, B. J. 229–57
Rosenberg, A. E. 571–92, 1153–63
Rummler, W. D. 763–96

S

Saddle-Point Approximation for M-ary Phase-Shift Keying with Adjacent Satellite Interference 1139–52
Salazar, A. C. 1575–98
Saleh, A. A. M. 1493–512
Salz, J. 557–70
Sandberg, I. W. 1721–33
SARTS—An Overview of Remote Special-Service Testing in the Bell System 501–27
SARTS (Human Interface to) 529–56
Satellite Circuits (Full-Hop; Use of Single-Chip VLSI Echo Canceler in) 149–60
Satellite Communication (Multiple-Access Frequency-Hopped FSK; Improved Decoding Scheme for) 1839–55
Satellite Communication Systems
(Application of Microprocessor-Based Automatic Frequency Controller for) 2007–10
(Procedures for Estimating Cross Polarizations for) 987–1007
Satellite Interference (Adjacent; Saddle-Point Approximation for M-ary Phase-Shift Keying with) 1139–52
Satellite Phased Arrays: Use of Imaging Reflectors with Spatial Filtering in the Focal Plane to Reduce Grating Lobes 449–61
Satellite Radio Communication Systems (Application of 10-Year Rain Attenuation Experiments and Studies on Design of) 183–228
Satellites (Frequency-Reuse Communication; Ultimate Capacity of) 1089–122
Scalar and Vector Modes in a Lightguide with a Hyperbolic Secant Index Distribution (Comparison of) 1681–91
Scanning Interval Effects on Peak Load Measurements 1513–24
Scatterers (Wide; Integral Equations for Electromagnetic Scattering by) 1893–908
Scattering (Electromagnetic) by Wide Scatterers (Integral Equations for) 1893–908
Scattering Patterns (Forward; Centering of Optical Fiber Coatings by Monitoring; Theory and Practice) 313–32
SC Networks with Continuous Input Signals (Two-Port Analysis of) 1297–316
Search Technique (Minimum-Distance) and its Application to Automatic Directory Assistance 1343–56
Secondary Queue (Some Traffic Overflow Problems with a Large) 1463–82
Semantic Processor in Conversational-Mode Airline Information and Reservation System 119–37
Semplak, R. A. 1333–42
Sensitivity Analysis of the 47A Signal 1747–56
Sensitivity Loss of Digital Optical Receivers Caused by Intersymbol Interference 1877–91
Serial Coding for Cyclic Block Codes 269–76
Series- and Shunt-Tuned Lumped-Element Microwave Circulators 723–30
Servicing in the Presence of Measurement Uncertainty (Trunk Demand) 845–60
Serving Area Concept (Feeder Commitment in) 67–79
Sethi, D. P. S. 881–95
Shallow and Deep Proton Bombardment [Comparison of (Al,Ga) As Double-Heterostructure Lasers Fabricated with] 975–85
Shaping (Spectral) by Simultaneous Amplitude and Frequency Modulation 557–70
Shepp, L. A. 367–415
Shipley, K. L. 119–37
Short-Haul Optical Data Links (Reliable, High-Speed LEDs for) 161–8
Shunt- and Series-Tuned Lumped-Element Microwave Circulators 723–40
Signal (47A; Sensitivity Analysis of the) 1747–56
Simple Approximation Technique (Congestion in Blocking Systems) 805–27
Simulation Analysis of Loop Network Assignment Operations (Discrete-Event) 81–98
Simultaneous Amplitude and Frequency Modulation (Spectral Shaping by) 557–70
Single-Chip VLSI Echo Canceler (A) 149–60
Single-Heterojunction Light-Emitting Diodes for Optical Links (Planar, Fast, Reliable) 1549–57

SINGLE SIDEBAND *See* SSB
SITE DIVERSITY AND ORBITAL DIVERSITY PROTECTIONS (EFFECTS OF; 10-YEAR SUMMARY OF RAIN ATTENUATION EXPERIMENTS AND STUDIES, EARTH-SATELLITE PATHS) 183–228
16-ARY QAM (DETECTION EFFICIENCY OF) 639–56
Slepian, D. 367–415
Sollenberger, N. R. 1923–42
SOLUTION TO MAXWELL'S EQUATIONS FOR LIGHTGUIDES (EXACT NUMERICAL) 1175–96
Some Traffic Overflow Problems with a Large Secondary Queue 1463–82
Source Coding for Multiple Descriptions 1417–26
Source-Coding Problem with Two Channels and Three Receivers (On a) 1909–21
Source Networks with Minimal Breakdown Degradation (On) 1083–7
SPACE PLANNING AIDS FOR CENTRAL OFFICE EQUIPMENT SYSTEMS (DEVELOPING) 1965–2000
SPATIAL FILTERING IN THE FOCAL PLANE TO REDUCE GRATING LOBES (USE IN SATELLITE PHASED ARRAYS OF IMAGING REFLECTORS WITH) 449–61
SPEAKER-INDEPENDENT TEMPLATES (RECOGNITION OF SPOKEN SPELLED NAMES FOR DIRECTORY ASSISTANCE USING) 571–92
SPECIAL SERVICE CENTER CONCEPT 501–27, 529–56
SPECIAL-SERVICE CIRCUITS (SWITCHED ACCESS REMOTE TEST SYSTEM FOR; HUMAN INTERFACE TO) 529–56
SPECIAL-SERVICE TESTING IN THE BELL SYSTEM (REMOTE; SARTS OVERVIEW) 501–27
SPECIAL-SERVICE TESTING (SWITCHED ACCESS REMOTE TEST SYSTEM; HUMAN INTERFACE TO) 529–56
Spectral Shaping by Simultaneous Amplitude and Frequency Modulation 557–70
SPEECH EDITING (EXPERIMENTAL SYSTEM FOR) 1383–95
SPEECH INPUT AND OUTPUT (CONVERSATIONAL-MODE AIRLINE INFORMATION AND RESERVATION SYSTEM USING) 119–37
SPEECH RECOGNIZER USED TO CONTROL A REPERTORY-DIALER SYSTEM 1153–63
SPEECH STORAGE AND EDITING FACILITY (EXPERIMENTAL) 1383–95
SPEECH WAVEFORMS (ADAPTIVE APERTURE CODING FOR) 471–7
SPELLED NAMES (SPOKEN) FOR DIRECTORY ASSISTANCE USING SPEAKER-INDEPENDENT TEMPLATES (RECOGNITION OF) 571–92
SPLICE LOSS (LIGHTGUIDE; EFFECTS OF LAUNCH BEAM NUMERICAL APERTURE ON) 441–7
SPOKEN DIALOG SYSTEM FOR AIRLINE INFORMATION AND RESERVATIONS 119–37
SPOKEN SPELLED NAMES FOR DIRECTORY ASSISTANCE USING SPEAKER-INDEPENDENT TEMPLATES (RECOGNITION OF) 571–92
SPREAD-SPECTRUM, TIME-FREQUENCY-CODED SYSTEM (ADDRESS ASSIGNMENT FOR) 1241–55
SSB MOBILE COMMUNICATIONS AT UHF WITH PILOT-BASED DOPPLER/FADING CORRECTION (IMPAIRMENT MECHANISMS FOR) 1923–42
STABILITY OF A SYNCHRONOUS MACHINE (STEADY-STATE) 1357–64
Statistical Behavior of Multipair Crosstalk 955–74
Steady-State Stability of a Synchronous Machine 1357–64
Stone, J. 1541–8
Study on the Reliability of the Circuit Maintenance System-1B (A) 1317–32
Stuller, J. A. 1227–40
SUBJECTIVE EFFECTS OF LISTENER ECHO ON TELEPHONE CONNECTIONS (MODEL FOR THE) 1009–60
SUBURBAN AND LIGHT URBAN LOOP NETWORKS (ELECTRONICS IN THE) 417–39
SWITCHED ACCESS REMOTE TESTING *See also* SARTS
SWITCHED ACCESS REMOTE TEST SYSTEM (Human Interface to the) 529–56 (Overview of Remote Special-Service Testing in the Bell System) 501–27
SWITCHED CAPACITOR NETWORKS WITH CONTINUOUS INPUT SIGNALS (TWO-PORT ANALYSIS OF 1297–316
Switching Networks and Block Designs, II (On) 1165–73
SYMMETRIC N-WAY POWER DIVIDERS (COMPUTATION OF THE FREQUENCY RESPONSE OF A CLASS OF) 1493–512
SYNCHRONOUS DATA LINK UTILIZATION MEASUREMENT (AN APPLICATION OF BUSY-PERIOD ANALYSIS) 731–44
SYNCHRONOUS MACHINE (STEADY-STATE STABILITY OF A) 1357–64
SYNTAX ANALYZER IN CONVERSATIONAL-MODE AIRLINE INFORMATION AND RESERVATION SYSTEM 119–37
SYSTEM EQUIPMENT FOR CENTRAL OFFICES (DEVELOPING SPACE PLANNING AIDS

FOR) 1965–2000
SYSTEM PERFORMANCE IN A RAYLEIGH FADING ENVIRONMENT (FREQUENCY-HOPPING, MULTIPLE-ACCESS, PHASE-SHIFT-KEYING) 861–79
Szelag, C. R. 845–60
Szymanski, T. G. 1343–56

T

TASK-ORIENTED SPEECH RECOGNIZER 1153–63
TECHNOLOGY DEVELOPMENT (EL2 ELECTRET TRANSMITTER) 745–62
TELEPHONE CALLS (LOCAL) AND HOUSEHOLD CHARACTERISTICS (RELATIONSHIPS BETWEEN DEMAND FOR) 931–53
TELEPHONE CONNECTIONS (MODEL FOR THE SUBJECTIVE EFFECTS OF LISTENER ECHO ON) 1009–60
TELEPHONE DIRECTORY INFORMATION FROM SPOKEN SPELLED INPUT (APPLICATION OF MINIMUM - DISTANCE SEARCH TECHNIQUE TO) 1343–56
TELEPHONE SETS (CLASS OF LOSSLESS, RECIPROCAL ANTI-SIDETONE NETWORKS FOR) 1483–92
TELEVISION CODING
(Motion-Compensated; New Results for) 1735–45
Using Gain and Displacement Compensation (Interframe) 1227–40
10-YEAR EXPERIMENTS AND STUDIES OF RAIN ATTENUATION ON EARTH-SATELLITE PATHS (SUMMARY OF) 183–228
TESTING IN THE BELL SYSTEM (REMOTE SPECIAL-SERVICE; SARTS OVERVIEW) 501–27
TEST SET FOR MEASURING COPPER CONDUCTIVITY AT MILLIMETER-WAVE FREQUENCIES 43–65
TEST SYSTEM
(Switched Access Remote; Human Interface to the) 529–56
(Switched Access Remote; Overview of Remote Special-Service Testing in the Bell System) 501–27
Thermoelastic Analysis of Dislocation Generation in Pulled GaAs Crystals (A) 593–637
Thompson, T. J. 1793–809, 1811–25
THREE-RECEIVER TWO-CHANNEL SOURCE-CODING PROBLEM 1909–21
Time- and Frequency-Domain Representation of Multipath Fading on Line-of-Sight Microwave Paths 763–96
TIME-FREQUENCY-CODED, SPREAD-SPECTRUM SYSTEM (ADDRESS ASSIGNMENT FOR) 1241–55
Timor, U. 1839–55
TOLL CALLS (DIRECT DISTANCE DIALING; CALL COMPLETION AND CUSTOMER RETRIAL BEHAVIOR) 295–311
TRAFFIC INTENSITY MEASUREMENTS (UTILIZATION MEASUREMENT OF A SYNCHRONOUS DATA LINK) 731–44
TRAFFIC MEASUREMENTS FOR NETWORK ADMINISTRATION 829–44
TRAFFIC OVERFLOW PROBLEMS WITH A LARGE SECONDARY QUEUE 1463–82
TRAFFIC OVERFLOW SYSTEM WITH QUEUING 1427–62, 1463–83
TRAFFIC PROCESSES (DATA; COVARIANCE FUNCTION CHARACTERIZATION AND RELATED QUEUING RESULTS FOR A CLASS OF) 897–929
Traffic Service Position System No. 1: Busy Line Verification Feature 1397–416
TRANSACTION-ORIENTED, MULTIPROGRAMMED COMPUTER SYSTEMS (APPROXIMATIONS FOR CUSTOMER-VIEWED DELAYS IN) 1559–74
TRANSIENT MEASUREMENTS IN CLEVELAND, SOUTH CAROLINA (LOOP) 1645–80
TRANSIENTS (LOOP) AT THE CUSTOMER STATION 1609–43
TRANSMISSION CHARACTERISTICS OF DOUBLE-MODE FIBERGUIDES 1061–72
TRANSMISSION EQUIPMENT DESIGN USING DESIGNER'S WORKBENCH 1767–92
Transmission Performance of $\mu \cong$ Quantization in a Local Digital Office 1943–64
TRANSMISSION RATING MODEL (INCORPORATION OF LISTENER ECHO OPINION MODEL INTO) 1009–60
TRANSMISSION SYSTEMS (OPTICAL FIBER; USE OF RELIABLE, HIGH-SPEED LEDs FOR SHORT-HAUL) 161–8
TRANSMITTER (EL2 ELECTRET; TECHNOLOGY DEVELOPMENT) 745–62
TRIMLINE® TELEPHONE SET (NONMAXIMUM OUTPUT NETWORK IN) 1483–92
Trunk Demand Servicing in the Presence of Measurement Uncertainty 845–60
TRUNK GROUPS FOR DIGITAL NETWORKS (DIMENSIONING) 1123–38
TRUNK NETWORK ADMINISTRATION (BLOCKING DISTRIBUTIONS FOR) 829–44
TRUNK NETWORK DEMAND SERVICING 845–60
TRUNK-SERVICE MEASUREMENT PLAN 829–44
TRUNK SERVICING SYSTEM (DEMAND-

SERVICING PROCEDURE FOR IMPLEMENTATION IN) 845–60
TUTORIALS IN DESIGNER'S WORKBENCH 1767–92, 1793–809
TWO-CHANNEL THREE-RECEIVER SOURCE-CODING PROBLEM 1909–21
Two-Dimensional Concentration Dependent Diffusion 1–41
Two-Port Analysis of SC Networks with Continuous Input Signals 1297–316
TWO-WAY SPEECH COMMUNICATION OVER DIALED-UP TELEPHONE LINES 119–37

U

UHF SSB MOBILE COMMUNICATIONS WITH PILOT-BASED DOPPLER/FADING CORRECTION (IMPAIRMENT MECHANISMS FOR) 1923–42
Ultimate Capacity of Frequency-Reuse Communication Satellites (The) 1089–122
Ungar, S. G. 333–66
*UNIX** TIME-SHARING SYSTEM
(Design-Aids Programs Accessed Using the) 1757–65, 1767–92
Used as Basis for Programming Environment of Designer's Workbench 1793–809
Used to Provide a Production Environment for the Designer's Workbench 1811–25
USER ACCEPTANCE OF DESIGNER'S WORKBENCH 1757–65, 1767–92
USER ENVIRONMENT OF DESIGNER'S WORKBENCH 1767–92
USER REACTION TO DESIGNER'S WORKBENCH 1757–65
UTILIZATION MEASUREMENT OF A SYNCHRONOUS DATA LINK (AN APPLICATION OF BUSY-PERIOD ANALYSIS) 731–44

V

VECTOR AND SCALAR MODES IN A LIGHTGUIDE WITH A HYPERBOLIC SECANT INDEX DISTRIBUTION (COMPARISON OF) 1681–91
Vella-Coleiro, G. P. 229–57
VERIFICATION BY OPERATOR OF CUSTOMER BUSY LINE (FEATURE IN TRAFFIC SERVICE POSITION SYSTEM NO. 1) 1397–416
VERY LARGE-SCALE INTEGRATION *See* VLSI
VLSI ECHO CANCELER (SINGLE-CHIP) 149–60
VOICE-BAND ACOUSTIC DIGITAL RECEIVERS (EXPERIMENTS ON) 1693–719
Voice Controlled, Repertory-Dialer System (A) 1153–63
VOICE SIGNAL IMPAIRMENT MECHANISMS 1923–42
VOICE TRANSMISSION PERFORMANCE ATTAINABLE WITH $\mu \cong 255$ QUANTIZATION LAW 1943–64
VOLTAGE OF BURIED CABLE (CORE-SHIELD; EFFECTS OF LIGHTNING PUNCTURES ON THE) 333–66
Von Neida, A. R. 593–637

W

Warner, D. D. 1–41
Warren, R. E. 1965–2000
WASHINGTON, CONNECTICUT (LOOP TRANSIENT MEASUREMENTS RECORDED AT) 1609–43
WATER PEAK (1.38-μm) REDUCTION IN OPTICAL FIBERS BY DEUTERIUM-HYDROGEN EXCHANGE 1541–8
WAVEFORMS (SPEECH, ADAPTIVE APERTURE CODING FOR) 471–7
WEATHER-COVER REFLECTIONS ON HORN-REFLECTOR ANTENNA (ELIMINATING) 1333–42
Werner, J. J. 557–70
WHITE NOISE (LEAST-SQUARES ESTIMATOR FOR FREQUENCY-SHIFT POSITION MODULATION IN) 1289–96
WIDE SCATTERERS (INTEGRAL EQUATIONS FOR ELECTROMAGNETIC SCATTERING BY) 1893–908
Wilpon, J. G. 571–92, 1153–63
Wilson, C. L. 1–41
Witsenhausen, H. S. 1083–7
Wolf, J. K. 1417–26
Wolfe, R. 229–57
Woody, D. L. 1397–416
WT-4 WAVEGUIDE FIELD EVALUATION TRIAL (COPPER CONDUCTIVITY AT MILLIMETER-WAVE FREQUENCIES) 43–65
Wyner, A. D. 367–415, 1417–26

Y

Yue, O. 861–79, 1139–52
Yum, T. 731–44

Z

Zipfel, C. L. 161–8, 1549–57
Ziv, J. 1417–26

* *UNIX* is a trademark of Bell Laboratories.

1980 Contents

January

D. D. Warner and C. L. Wilson	Two-Dimensional Concentration Dependent Diffusion	1
L. W. Hinderks and A. Malone	Copper Conductivity at Millimeter-Wave Frequencies	43
E. S. Dattatreya	Multiple Commitment of Feeder Capacity in the Loop Plant	67
H. T. Freedman and T. R. Harms	A Discrete Event Simulation Analysis of Loop Network Assignment Operations	81
A. E. Gibson and D. B. Luber	Critical Section Methods for Loop Plant Allocation	99
S. E. Levinson and K. L. Shipley	A Conversational-Mode Airline Information and Reservation System Using Speech Input and Output	119
	Contributors to This Issue	139
	Papers by Bell Laboratories Authors	143

February

D. L. Duttweiler and Y. S. Chen	A Single-Chip VLSI Echo Canceler	149
L. R. Dawson, V. G. Keramidas, and C. L. Zipfel	Reliable, High-Speed LEDs for Short-Haul Optical Data Links	161
J. L. Blue	Efficient Calculation of Current Flow in Electroplating Cells	169
S. H. Lin, H. J. Bergmann, and M. V. Pursley	Rain Attenuation on Earth-Satellite Paths—Summary of 10-Year Experiments and Studies	183
T. J. Nelson, R. Wolfe, S. L. Blank, P. I. Bonyhard, W. A. Johnson, B. J. Roman, and G. P. Vella-Coleiro	Design of Bubble Device Elements Employing Ion-Implanted Propagation Patterns	229
	Contributors to This Issue	259
	Papers by Bell Laboratories Authors	265
	B.S.T.J. Brief:	
S. V. Ahamed	Serial Coding for Cyclic Block Codes	269

March

W. L. G. Koontz	Economic Evaluation of Loop Feeder Relief Alternatives	277
K. S. Liu	Direct Distance Dialing: Call Completion and Customer Retrial Behavior	295
B. R. Eichenbaum	The Centering of Optical Fiber Coatings by Monitoring Forward Scattering Patterns—Theory and Practice	313
S. G. Ungar	Effects of Lightning Punctures on the Core-Shield Voltage of Buried Cable	333
L. A. Shepp, D. Slepian, and A. D. Wyner	On Prediction of Moving-Average Processes	367
A. J. Ciesielka and D. C. Douglas	Electronics in the Suburban and Light Urban Loop Networks	417
R. B. Kummer	Lightguide Splice Loss—Effects of Launch Beam Numerical Aperture	441
C. Dragone and M. J. Gans	Satellite Phased Arrays: Use of Imaging Reflectors with Spatial Filtering in the Focal Plane to Reduce Grating Lobes	449
	Contributors to This Issue	463
	Papers by Bell Laboratories Authors	467
N. S. Jayant and S. W. Christensen	**B.S.T.J. Brief:** Adaptive Aperture Coding for Speech Waveforms—II	471

April

T. R. Elken	The Application of Mathematical Programming to Loop Feeder Allocation	479
W. J. Giguere	SARTS—An Overview of Remote Special-Service Testing in the Bell System	501
F. J. Pfeufer	The Human Interface to the Switched Access Remote Test System	529
J. Salz and J. J. Werner	Spectrum Shaping by Simultaneous Amplitude and Frequency Modulation	557
A. E. Rosenberg, L. R. Rabiner, and J. G. Wilpon	Recognition of Spoken Spelled Names for Directory Assistance Using Speaker-Independent Templates	571

A. S. Jordan, R. Caruso, and A. R. Von Neida	A Thermoelastic Analysis of Dislocation Generation in Pulled GaAs Crystals	593
V. K. Prabhu	The Detection Efficiency of 16-ary QAM	639
	Contributors to This Issue	657
	Papers by Bell Laboratories Authors	661

May—June

R. W. Dixon	Current Directions in GaAs Laser Device Development	669
R. H. Knerr	Series- and Shunt-Tuned Lumped-Element Microwave Circulators	723
T. Yum	Measuring the Utilization of a Synchronous Data Link: An Application of Busy-Period Analysis	731
S. P. Khanna and R. L. Remke	The EL2 Electret Transmitter: Technology Department	745
W. D. Rummler	Time- and Frequency-Domain Representation of Multipath Fading on Line-of-Sight Microwave Paths	763
	Contributors to This Issue	797
	Papers by Bell Laboratories Authors	799

July—August

A. A. Fredericks	Congestion in Blocking Systems—A Simple Approximation Technique	805
S. R. Neal	Blocking Distributions for Trunk Network Administration	829
C. R. Szelag	Trunk Demand Servicing in the Presence of Measurement Uncertainty	845
O. Yue	Frequency-Hopping, Multiple-Access, Phase-Shift-Keying System Performance in a Rayleigh Fading Environment	861
D. P. S. Sethi and H. T. Freeman	Decision Criteria for Rehabilitation of the Distribution Network	881
H. Heffes	A Class of Data Traffic Processes—Covariance Function Characterization and Related Queuing Results	897
W. J. Infosino	Relationships Between the Demand for Local Telephone Calls and Household Characteristics	931

S. H. Lin	Statistical Behavior of Multipair Crosstalk	955
R. W. Dixon and W. B. Joyce	(Al,Ga) As Double-Heterostructure Lasers: Comparison of Devices Fabricated with Deep and Shallow Proton Bombardment	975
T. S. Chu	Microwave Depolarization of an Earth-Space Path	987
J. R. Cavanaugh, R. W. Hatch, and J. L. Neigh	A Model for the Subjective Effects of Listener Echo on Telephone Connections	1009
L. G. Cohen, W. L. Mammel, C. Lin, and W. G. French	Propagation Characteristics of Double-Mode Fibers	1061
	Contributors to This Issue	1073
	Papers by Bell Laboratories Authors	1079
H. S. Witsenhausen	**B.S.T.J. Brief:** On Source Networks with Minimal Breakdown Degradation	1083

September

A. S. Acampora	The Ultimate Capacity of Frequency-Reuse Communication Satellites	1089
W. B. Elsner	Dimensioning Trunk Groups for Digital Networks	1123
O. Yue	Saddle-Point Approximation for M-ary Phase-Shift Keying with Adjacent Satellite Interference	1139
L. R. Rabiner, J. G. Wilpon, and A. E. Rosenberg	A Voice-Controlled, Repertory-Dialer System	1153
F. R. K. Chung	On Switching Networks and Block Designs, II	1165
G. E. Peterson, A. Carnevale, U. C. Paek, and D. W. Berreman	An Exact Numerical Solution to Maxwell's Equations for Lightguides	1175
L. J. Greenstein and B. A. Czekaj	A Polynomial Model for Multipath Fading Channel Responses	1197
J. A. Stuller, A. N. Netravali, and J. D. Robbins	Interframe Television Coding Using Gain and Displacement Compensation	1227
G. Einarsson	Address Assignment for A Time-Frequency-Coded, Spread-Spectrum System	1241

D. J. Goodman, P. S. Henry, and V. K. Prabhu	Frequency-Hopped Multilevel FSK for Mobile Radio	1257
	Contributors to This Issue	1277
	Papers by Bell Laboratories Authors	1283
	Contents, October	1287
	B.S.T.J. Brief:	
V. E. Beneš	Least-Squares Estimator for Frequency-Shift Position Modulation in White Noise	1289

October

C. F. Kurth	Two-Port Analysis of SC Networks with Continuous Input Signals	1297
R. L. Aveyard and F. T. Man	A Study on the Reliability of the Circuit Maintenance System-1B	1317
R. A. Semplak	Horn Reflector Antenna—Eliminating Weather-Cover Reflections	1333
B. Aldefeld, S. E. Levinson, and T. G. Szymanski	A Minimum-Distance Search Technique and its Application to Automatic Directory Assistance	1343
S. B. Karmakar	Steady-State Stability of a Synchronous Machine	1357
D. Gloge, A. Albanese, C. A. Burrus, E. L. Chinnock, J. A. Copeland, A. G. Dentai, T. P. Lee, T. Li, and K. Ogawa	High-Speed Digital Lightwave Communication Using LEDs and PIN Photodiodes at 1.3 μm	1365
N. F. Maxemchuk	An Experimental Speech Storage and Editing Facility	1383
J. Atkins, K. A. Raschke, and D. L. Woody	Traffic Service Position System No. 1: Busy Line Verification Feature	1397
J. K. Wolf, A. D. Wyner, and J. Ziv	Source Coding for Multiple Descriptions	1417
J. A. Morrison	Analysis of Some Overflow Problems with Queuing	1427
J. A. Morrison	Some Traffic Overflow Problems with a Large Secondary Queue	1463
D. R. Means	A Class of Lossless, Reciprocal Anti-Sidetone Networks for Telephone Sets	1483

A. A. M. Saleh	Computation of the Frequency Response of a Class of Symmetric N-Way Power Dividers	1493
R. Conte	Effects of Scanning Interval on Peak Load Measurements	1513
	Contributors to This Issue	1525
	Papers by Bell Laboratories Authors	1533
	Contents, November	1539
	B.S.T.J. Brief:	
J. Stone and C. A. Burrus	Reduction of the 1.38-μm Water Peak in Optical Fibers by Deuterium-Hydrogen Exchange	1541
	November	
V. G. Keramidas, G. W. Berkstresser, and C. L. Zipfel	Planar, Fast, Reliable, Single-Heterojunction Light-Emitting Diodes for Optical Links	1549
A. A. Fredericks	Approximations for Customer-Viewed Delays in Multiprogrammed, Transaction-Oriented Computer Systems	1559
V. B. Lawrence and A. C. Salazar	Finite Precision Design of Linear-Phase FIR Filters	1575
S. V. Kartalopoulos	A Memory Implementation of a Fully Programmable Digital Controller	1599
R. L. Carroll and P. S. Miller	Loop Transients at the Customer Station	1609
R. L. Carroll	Loop Transient Measurements in Cleveland, South Carolina	1645
G. E. Peterson, A. Carnevale, and U. C. Paek	Comparision of Vector and Scalar Modes in a Lightguide with a Hyperbolic Secant Index Distribution	1681
J. L. Flanagan	Direct Digital-to-Analog Conversion of Acoustic Signals	1693
I. W. Sandberg	Diffeomorphisms and Newton-Direction Algorithms	1721
A. N. Netravali and J. D. Robbins	Motion-Compensated Coding: Some New Results	1735
R. Longhitano	Sensitivity Analysis of the 47A Signal	1747
	DESIGNER'S WORKBENCH	
L. A. O'Neill	Philosophy	1757
J. R. Breiland and R. A. Friedenson	The User Environment	1767
P. H. McDonald and T. J. Thompson	The Programmer Environment	1793

T. J. Thompson	Providing a Production Environment	**1811**
	Contributors to This Issue	**1827**
	Papers by Bell Laboratories Authors	**1833**
	Contents, December	**1837**
	December	
U. Timor	Improved Decoding Scheme for Frequency-Hopped Multilevel FSK System	**1839**
J. E. Mazo	Analysis of Decision-Directed Equalizer Convergence	**1857**
F. S. Chen and Y. S. Chen	Sensitivity Loss of Digital Optical Receivers Caused by Intersymbol Interference	**1877**
J. L. Blue	Integral Equations for Electromagnetic Scattering by Wide Scatterers	**1893**
L. Ozarow	On a Source Coding Problem with Two Channels and Three Receivers	**1909**
K. W. Leland and N. R. Sollenberger	Impairment Mechanisms for SSB Mobile Communications at UHF with Pilot-Based Doppler/Fading Correction	**1923**
G. K. McNees	Transmission Performance of $\mu \cong 255$ Quantization in a Local Digital Office	**1943**
R. E. Warren	Developing Space Planning Aids for Central Office Equipment Systems	**1965**
	Contributors to This Issue	**2001**
	Papers by Bell Laboratories Authors	**2003**
	Contents, January 1981	**2005**
R. P. Leck	**B.S.T.J. Brief:** A Microprocessor-Based Automatic Frequency Controller	**2007**